

## Ladysmith

Steel



### Performance Summary:

Heavy-duty 100% Vinyl will hold up to years of use. Enhanced resistance to soil, stains and abrasions for extra durability. Antimicrobial agent inhibits the growth of microorganisms.

### Fabric Specifications (inches)

Product #:	Ladysmith/Steel
Color:	Steel
Content:	100% Vinyl
Type:	Warp Knit PVC Face Coat
Finish:	Antimicrobial & Easy Clean
Backing:	100% Polyester
Weight:	41.3 oz./ lin. yard
Width:	54"
Repeat:	N/A
Roll Size:	25 yds.
Intended Use:	Healthcare/Hospitality
Railroaded:	N/A

### Performance Characteristics

Abrasion Resistance ASTM D-4157	Exceeds 100,000 Double Rubs – Heavy Duty
Break Strength ASTM D-5034	Warp: 137 lbs. min. Fill: 279 lbs. min.
Tear Strength ASTM D-2261	Warp: 10 lbs. min. Fill: 14 lbs. min.
Seam Slippage ASTM D-4034	Warp: 67 lbs. min Fill: 68 lbs. min.
Brush Pilling ASTM D-3511	Class 4.0
Colorfastness to Light AATCC-16	40 Hours – Class 4.0
Crocking AATCC-8	Dry: Class 4.0 Wet: Class 4.0
Fluid Barrier	N/A
Antimicrobial	fabric protection features silver ion technology which inhibits the growth of microbes on the protected surface.

### Flammability\*

CA 117-2013, Section 1	Passed
UFAC	Class 1
NFPA 260	Class 1

### Cleaning & Maintenance

Cleaning Statement	A clean cloth, dampened with the appropriate cleaning solution, should be applied to affected areas as soon as possible. Clean spots or stains from the outside to the middle of the affected area to prevent circling. 1. Soap and water 2. Difficult stains use Fantastik <sup>®</sup> or Formula 409 <sup>®</sup> 3. Disinfects with 5:1 water / bleach solution
Cleaning Code	(W)

### Environmental

GreenGuard	N/A
------------	-----

### Warranty

**1 Year**

Please order samples prior to purchase – the colors of fabrics on our website may vary slightly compared to the actual product.

\* This term and any corresponding data refer to the typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

\*\* Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance.



ACT<sup>®</sup> Registered Certification Marks