

McInnery Harper



Performance Summary:

Heavy-duty 100% POLYESTER FR NANOTEX will hold up to years of use. Enhanced resistance to soil, stains and abrasions for extra durability. Fluid barrier repels liquids. Antimicrobial agent inhibits the growth of microorganisms. Bleach-solution cleanable for easier cleaning.

Fabric Specifications (inches)

| | |
|---------------|-----------------------------------|
| Product #: | KP-10324.7552Brown |
| Color: | Harper |
| Content: | 100% POLYESTER FR |
| Type: | Print |
| Finish: | NANOTEX |
| Backing: | NANOGUARD moisture barrier |
| Weight: | 12.8 oz./yd. |
| Width: | 54" |
| Repeat: | Horizontal: 13.5" Vertical: 0" |
| Roll Size: | 60 yds. |
| Intended Use: | Healthcare/Hospitality |
| Railroaded: | No |

Performance Characteristics

| | |
|------------------------------------|---|
| Abrasion Resistance ASTM D-4157 | Exceeds 30,000 Double Rubs |
| Break Strength ASTM D-5034 | Warp: 291 lbs. min. Fill: 187 lbs. min. |
| Seam Slippage ASTM D-4034 | Warp: 36 lbs. min. Fill: 35 lbs. min. |
| Brush Pilling ASTM D-3511 | Class 5 – No Pilling |
| Colorfastness to Light AATCC-16 | 60 Hours – Grade 5.0 |
| Crocking AATCC-8 | Dry: Class 4.0 Wet: Class 3.0 |
| Fluid Barrier | NANOGUARD integrated fluid barrier |
| Antimicrobial | NANOTEX fabric protection features silver ion technology which inhibits the growth of microbes on the protected surface |

Flammability*

CA 117-2013, Section 1 Passed

Cleaning & Maintenance

| | |
|--------------------|--|
| Cleaning Statement | Spot clean using a mild water-free solvent or dry cleaning product |
| Cleaning Code | S |

Environmental

| | |
|------------|---|
| GreenGuard | Third-Party GREENGUARD Select Certified |
|------------|---|

Warranty

1 Year

Please order samples prior to purchase – the colors of fabrics on our website may vary slightly compared to the actual product.

* This term and any corresponding data refer to the typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

** Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance.



ACT® Registered Certification Marks

McInnery Wisteria



Performance Summary:

Heavy-duty 100% POLYESTER FR NANOTEX will hold up to years of use. Enhanced resistance to soil, stains and abrasions for extra durability. Fluid barrier repels liquids. Antimicrobial agent inhibits the growth of microorganisms. Bleach-solution cleanable for easier cleaning.

Fabric Specifications (inches)

| | |
|---------------|-----------------------------------|
| Product #: | KP-10324.7552Multi |
| Color: | Wisteria |
| Content: | 100% POLYESTER FR |
| Type: | Print |
| Finish: | NANOTEX |
| Backing: | NANOGUARD moisture barrier |
| Weight: | 12.8 oz./yd. |
| Width: | 54" |
| Repeat: | Horizontal: 13.5" Vertical: 0" |
| Roll Size: | 60 yds. |
| Intended Use: | Healthcare/Hospitality |
| Railroaded: | No |

Performance Characteristics

| | |
|------------------------------------|---|
| Abrasion Resistance ASTM D-4157 | Exceeds 30,000 Double Rubs |
| Break Strength ASTM D-5034 | Warp: 291 lbs. min. Fill: 187 lbs. min. |
| Seam Slippage ASTM D-4034 | Warp: 36 lbs. min. Fill: 35 lbs. min. |
| Brush Pilling ASTM D-3511 | Class 5 – No Pilling |
| Colorfastness to Light AATCC-16 | 60 Hours – Grade 5.0 |
| Crocking AATCC-8 | Dry: Class 4.0 Wet: Class 3.0 |
| Fluid Barrier | NANOGUARD integrated fluid barrier |
| Antimicrobial | NANOTEX fabric protection features silver ion technology which inhibits the growth of microbes on the protected surface |

Flammability*

CA 117-2013, Section 1 Passed

Cleaning & Maintenance

| | |
|--------------------|--|
| Cleaning Statement | Spot clean using a mild water-free solvent or dry cleaning product |
| Cleaning Code | S |

Environmental

| | |
|------------|---|
| GreenGuard | Third-Party GREENGUARD Select Certified |
|------------|---|

Warranty

1 Year

Please order samples prior to purchase – the colors of fabrics on our website may vary slightly compared to the actual product.

* This term and any corresponding data refer to the typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

** Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance.



ACT® Registered Certification Marks

McInnery Strident



Performance Summary:

Heavy-duty 100% POLYESTER FR NANOTEX will hold up to years of use. Enhanced resistance to soil, stains and abrasions for extra durability. Fluid barrier repels liquids. Antimicrobial agent inhibits the growth of microorganisms. Bleach-solution cleanable for easier cleaning.

Fabric Specifications (inches)

| | |
|---------------|-----------------------------------|
| Product #: | KP-10324.7552Teal |
| Color: | Strident |
| Content: | 100% POLYESTER FR |
| Type: | Print |
| Finish: | NANOTEX |
| Backing: | NANOGUARD moisture barrier |
| Weight: | 12.8 oz./yd. |
| Width: | 54" |
| Repeat: | Horizontal: 13.5" Vertical: 0" |
| Roll Size: | 60 yds. |
| Intended Use: | Healthcare/Hospitality |
| Railroaded: | No |

Performance Characteristics

| | |
|------------------------------------|---|
| Abrasion Resistance ASTM D-4157 | Exceeds 30,000 Double Rubs |
| Break Strength ASTM D-5034 | Warp: 291 lbs. min. Fill: 187 lbs. min. |
| Seam Slippage ASTM D-4034 | Warp: 36 lbs. min. Fill: 35 lbs. min. |
| Brush Pilling ASTM D-3511 | Class 5 – No Pilling |
| Colorfastness to Light AATCC-16 | 60 Hours – Grade 5.0 |
| Crocking AATCC-8 | Dry: Class 4.0 Wet: Class 3.0 |
| Fluid Barrier | NANOGUARD integrated fluid barrier |
| Antimicrobial | NANOTEX fabric protection features silver ion technology which inhibits the growth of microbes on the protected surface |

Flammability*

| | |
|------------------------|--------|
| CA 117-2013, Section 1 | Passed |
|------------------------|--------|

Cleaning & Maintenance

| | |
|--------------------|--|
| Cleaning Statement | Spot clean using a mild water-free solvent or dry cleaning product |
| Cleaning Code | S |

Environmental

| | |
|------------|---|
| GreenGuard | Third-Party GREENGUARD Select Certified |
|------------|---|

Warranty

1 Year

Please order samples prior to purchase – the colors of fabrics on our website may vary slightly compared to the actual product.

* This term and any corresponding data refer to the typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

** Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance.



ACT® Registered Certification Marks