


## Huntsville Occasional Chair

### Huntsville Occasional Chair Dimensions:

Overall Height:	42"	(107 cm)
Overall Depth:	28"	(71 cm)
Overall Width:	24"	(61 cm)
Seat Height:	18½"	(47 cm)
Seat Depth:	20"	(51 cm)
Seat Width:	20 ½"	(52 cm)
Arm Height:	26½"	(67 cm)
Chair Weight:	22 lbs.	(10 kg)
Weight Capacity:	350 lbs.	(159 kg)
COM Details*:	2 yds.	



### Stacking:

The Huntsville Occasional Chair is nonstacking.

### Cushion Details:

Seat: 2¾" thick, 2.8 density/55 ILD foam

Back: 1½" thick & ½" thick, 2.8 density/55 ILD foam


### Construction:

Rectangular aluminum tubing is formed and welded to create a lightweight and high-strength chair.

Welded joints are ground down and blended for a seamless transition.

### Finish Details:

A durable vinyl covering is applied to the aluminum frame to hold up to commercial settings. A wide range of standard finishes is available, and custom finishes are available upon request for an upcharge.



\*Indicates a 4-week lead time. All other finishes shown above feature a 10-week lead time.

### Mobility Options:

The Huntsville Occasional Chair is not available with casters.

### Floor Glides:

All chairs ship standard with metal floor glides with an option of nylon glides.

### Regulations:

All chairs are CA117-2013 and CARB II certified. Chairs pass BIFMA X5.5 2014 Seating Standards. CA133 option is available for an upcharge.

### Warranty Information:

12-year limited warranty on the chair frame.  
1-year limited warranty on the seat and backrest foam.  
Fabric manufacturer's warranty on fabric.

### Also Available in Huntsville:



Huntsville  
Dining Chair

\* Fabric requirement for one chair includes the seat and backrest  
\* The estimated fabric requirement is based on 54"W (137 cm) material. The actual amount required may vary depending on pattern, pattern matching, material width or use of multiple fabrics  
\* The fabric on the backrest is visible from the rear view of the chair  
\* Different fabrics on seat and backrest is possible